


MANUAL

PANEL DE CONTROL

1) El Panel de Cloud Hosting le permite administrar sus contraseñas a FTP, Correo Electrónico y Bases de Datos.

2) Para ingresar al Panel desde cualquier navegador de Internet introduzca la siguiente liga: <http://www.websitesettings.com>



Welcome to your hosting account.

Username


[Don't know your username?](#)

Password

[Lost your password?](#)

Login

3) Ahora de clic en **“Websites & Email”** y después clic sobre el nombre de dominio.



4) La pestaña **“General Settings”** mostrará los datos de acceso a FTP.



5) En “**Permissions**” podrá verificar el nombre de usuario FTP, el tipo de usuario y le proporciona la opción de cambiar la contraseña de acceso.

General Settings | **Permissions** | Email Accounts | Features

➤ **Permissions For Editing Your Website**

An username and a password are required to edit the content or settings of your website. The user with permission to

1 FTP users (Showing 1 to 1)

Username	Type	Password
demowebcom	Primary User Change

6) En “**Email Accounts**” podrá crear, cambiar y eliminar direcciones de correo, contraseñas y administrar el filtro de Spam.

1 Email Accounts (Showing 1 to 1) Add Delete

Status	Name	Email Address
--------	------	---------------


Spam filtering level

- High - Catches the most spam
- Low - Catches only obvious spam
- Exclusive - You only receive email from SafeList addresses
- None - No spam filtering


Spam Handling

- Deliver to Spam folder
- Delete email nightly
- Deliver to email address:
- add '[SPAM]' to the beginning of the subject line

7) **“Features”** en esta sección puede crear nuevas Bases de Datos y entrar al Administrador (PHPMyAdmin).



8) De clic en el botón **“Add”** ahora introduzca el nombre de su nueva base de datos y de clic en **“Continue”**.



9) Agregue el nombre de usuario para la Base de Datos y contraseña, de clic en **“Finish”**.

The screenshot shows the 'Add a user who can access the database' form. The left sidebar contains navigation options: Websites & Email, Usage Report, Contacts, and Logout. The main content area is titled 'www.click-interact.com' and '2. Add a user who can access the database.' Below the title, there is a note: 'Database users are typically different from other user types'. The form fields are: 'Database Username' with the value '609163_clickint' and a note 'A database username can consist of a-z or 0-9.'; 'Password' with masked characters '*****'; and 'Confirm Password' with masked characters '*****' and a note 'Type the password once more for verification.' At the bottom, there are three buttons: 'Cancel', 'Go Back', and 'Finish'.

10) De clic en el nombre de nueva Base de Datos.

The screenshot shows the 'Databases' section in the Click-Interact admin interface. The left sidebar contains navigation options: Websites & Email, Usage Report, Contacts, and Logout. The main content area is titled 'www.click-interact.com' and has tabs for 'General Settings', 'Permissions', 'Email Accounts', and 'Features'. Below the tabs, there is a section for 'Databases' with a plus icon. It shows '1 Databases (Showing 1 to 1)' with 'Add' and 'Delete' buttons. Below this is a table with the following data:

Status	Database Name	Database Type
<input checked="" type="checkbox"/>	609163_pruebainter	MySQL 5

11) De clic en “**Online Manager**”

Working With The Database

Online Manager <https://mysql.dfw1-2.websitesettings.com>
Click to work with your database online.

12) Le sugerimos tener a la mano el usuario, contraseña y Hostname de la Base de Datos.

Name and Hostname

Database name **609163_pruebainter**

Hostname **mysql50-101.wc2.dfw1.stabletransit.com**
Please use the hostname for all connection settings inside your code.

13) Introduzca el Nombre de Usuario, contraseña y seleccione el Hostname de la Base.

Log in

Username:

Password:

Server Choice:

i Cookies must be

- mysql50-01.wc2:3306
- mysql50-02.wc2:3306
- mysql50-03.wc2:3306
- mysql50-04.wc2:3306
- mysql50-05.wc2:3306
- mysql50-06.wc2:3306
- mysql50-07.wc2:3306
- mysql50-08.wc2:3306
- mysql50-09.wc2:3306
- mysql50-10.wc2:3306
- mysql50-11.wc2:3306
- mysql50-12.wc2:3306
- mysql50-13.wc2:3306
- mysql50-14.wc2:3306
- mysql50-15.wc2:3306
- mysql50-16.wc2:3306
- mysql50-17.wc2:3306
- mysql50-18.wc2:3306
- mysql50-19.wc2:3306
- mysql50-20.wc2:3306